

SUPPLEMENT TO



The Gazette of India

No. 1]

NEW DELHI, SATURDAY, JANUARY 7, 1956

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 10th December, 1955

	CHOLERA				SMALLPOX				PLAGUE				CHOLERA				SMALLPOX				
	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	
STATES PART (A) AND PART (C)																					
Almer																					
TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(Estd. mid-year pop. 741 thousands.)																					
Total for w/e 3-12-55	•	-	-	1	•	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total for w/e 26-11-55	-	-	1	•	•	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7-yearly mean for the week	-	-	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Andhra																					
Srikakulam	•	8	3	1	1	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Godavari East	•	•	•	16	9	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Krishna	•	•	•	14	1	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Guntur	•	•	•	14	1	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Nellore	•	•	•	•	•	•	•	•	1	•	•	•	•	•	•	•	•	•	•	•	•
Kurnool	•	•	•	II	4	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Cuddapah	•	•	23	9	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Anantapur	•	•	•	•	2	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Chittoor	•	•	•	•	1	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
TOTAL	42	16	48	13	•	•	•	•	•	•	•	•	•	•	•	•	•	•	39	7	•
(Estd. mid-year pop. 21,013 thousands.)																					
Total for w/e 3-12-55	•	37	28	26	13	—	—	—	—	—	—	—	—	—	—	—	—	—	38	12	—
Total for w/e 26-11-55	•	106	54	34	4	•	•	•	•	•	•	•	•	•	•	•	•	•	49	13	—
7-yearly mean for the week	•	•	55	34	92	15	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Assam																					
TOTAL	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
(Estd. mid-year pop. 9,672 thousands.)																					
Total for w/e 3-12-55	•	12	10	—	•	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total for w/e 26-11-55	•	29	16	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	23	120	22
7-yearly mean for the week	•	•	6	11	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•

Explanation of symbols used: C.=Cases; D.=Deaths; ..=Nil; "N.R."=Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 10th December, 1955—contd.

	CHOLERA				SMALLPOX				PLAQUE					CHOLERA				SMALLPOX				
	C.	D.	C.	D.	C.	D.		C.	D.	C.	D.		C.	D.	C.	D.	C.	D.	C.	D.	C.	D.
Delhi													Madras									
Delhi City	.	.	-	-	2	..	-	..	North Arcot	.	.	-	-	2	1	
TOTAL	.	-	-	-	2	..	-	..	South Arcot	3	2	
(Estd. mid-year pop. 1,744 thousands.)									Tirunelveli	10	3	
Total for w/e 3-12-55	-					TOTAL	15	6
Total for w/e 26-11-55	-					(Estd. mid-year pop. 37,797 thousands.)									
7-yearly mean for the week	3	1	-	..					Total for w/e 3-12-55	.	-	..	9	3
Himachal Pradesh													Manipur									
TOTAL	-					TOTAL
(Estd. mid-year pop. 999 thousands.)																						
Total for w/e 3-12-55	-														
Total for w/e 26-11-55	-					(Estd. mid-year pop. 606 thousands.)									
Madhya Pradesh													Orissa									
Nagpur	5	1	-					Total for w/e 3-12-55	.	-
Chhindwara	-	21	5	..					Total for w/e 26-11-55
Betul	67	11	..														
Bhandara	7	1	-														
Jabalpur	3					Cuttack	5	2	
Sagar	22	1	..					Puri	1	1	
Mandla	4					Sambalpur	2	
Hoshangabad	4					Keonjhar	2	1	1	
Raipur	3					Dhenkanal	1	
Akola	14	..	-					Kalahandi	2	
Buldana	6	1	..					TOTAL	.	7	3	7	1	
TOTAL	156	20	..														
(Estd. mid-year pop. 21,948 thousands.)													(Estd. mid-year pop. 15,026 thousands.)									
Total for w/e 3-12-55	85	28	..					Total for w/e 3-12-55	.	8	8	26
Total for w/e 26-11-55	35	7	..					Total for w/e 26-11-55	.	20	11	12
7-yearly mean for the week	5	..	64	9	95	21		7-yearly mean for the week	69	37	46	8	..	

Explanation of symbols used : C = Cases ; D = Deaths ; N = NM.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 10th December, 1955—*contd.*

	CHOLERA						SMALLPOX						PLAGUE							
	C.	D.	C.	D.	C.	D.		C.	D.	C.	D.	C.		C.	D.	C.	D.			
Punjab (I)															West Bengal					
"N. R."															"N. R."					
Tripura															Grand Total for States Parts (A) & (C) (excluding Bihar, Bhopal, West Bengal and Punjab)					
TOTAL	•	—	49	19	335	68	4		
Estd. mid-year pop. (694 thousands.)															Corresponding (Estd. mid-year pop. 2,19,165 thousands).					
Total for w/e 3-12-55	•		
Total for w/e 26-II-55	•		
Uttar Pradesh															,, 7-yearly mean for the week .					
Dehra Dun	•	23	6	1,077	553	500	110	124	32
Mathura	•	6	STATES PART (B)					
Itawah	•	—	3	Hyderabad					
Kanpur	•	2	..	2	Bhir
Allahabad	•	3	Khammam
Aligan	•	4	1	TOTAL
Mirzapur	•	10	2	Jammu and Kashmir					
Jaunpur	•	4	"N. R."					
Sitapur	•	11	7	Madhya Bharat					
Kheri	•	6	3	"N. R."					
Bahraich	•	3	"N. R."					
Rampur	•	2	2	Mysore					
TOTAL	•	68	21	4	Bangalore
(Estd. mid-year pop. 66,112 thousands.)															Kolar
Total for w/e 3-12-55	•	59	10	2	Bellary
Total for w/e 26-II-55	•	5	3	2	TOTAL	6	2
7-yearly mean for the week	•	93	34	29	11	Patiala and East Punjab States Union					
TOTAL	TOTAL
Rajasthan															"N. R."					
Vindhya Pradesh															"N. R."					
TOTAL	Saurashtra					
(Estd. mid-year pop. 3,665 thousands.)															Gohilwad
Total for w/e 3-12-55	TOTAL
Total for w/e 26-II-55	129	17	16	1

Explanation of symbols used : C.—Cases ; D.—Deaths ; ..—Nil ; "N. R."—Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 10th December, 1955—concl'd.

CHOLERA SMALLPOX PLAGUE						CHOLERA SMALLPOX PLAGUE					
		C.	D.	C.	D.	C.	D.	C.	D.	C.	D.
Travancore-Cochin											
TOTAL	.	—	..	6	—	—	—	—	—
Grand Total for States Part (B)	.	6	2	24	1	2	1	Midnapur	.	5	..
Grand Total for States Parts (A), (B) and (C)	55	21	359	69	6	1	Hooghly	.	2	19	3
ARREAR INFORMATION											
Vindhya Pradesh											
<i>w/e 3-12-55</i>											
TOTAL	.	—	—	—	—	—	—	West Bengal—contd.
West Bengal											
<i>w/e 26-11-55</i>											
Burdwan	.	17	8	Birbhum	.	6	5
								Midnapur	.	..	2
								Hooghly	.	2	1
								Howrah	.	1	1
								24-Parganas	.	2	..
								Calcutta
								Nadia
								Murshidabad
								TOTAL	.	135	62
										26	6
								Bhopal			
								<i>w/e 26-11-55</i>			
								TOTAL	.	..	14
								Himachal Pradesh			
								<i>w/e 2-55</i>			
								TOTAL

Explanation of symbols used: C.—Cases; D.—Deaths; ..—Nil.

NEW DELHI-2 (INDIA);
The 2nd January, 1956 }

K. MITRA,
for Registrar General, India.

Prosper with the NATION

INVEST YOUR SAVINGS IN

GOVERNMENT OF INDIA'S Small Savings Scheme

and help India's

- COMMUNITY DEVELOPMENT PROGRAMME
- GREAT RIVER VALLEY PROJECTS
- SOCIAL WELFARE SCHEMES
- RAIL AND ROAD DEVELOPMENT

PUT YOUR MONEY IN ANY OF THESE ATTRACTIVE GUARANTEED SECURITIES

12-YEAR NATIONAL SAVINGS CERTIFICATES

Interest at 4.16 per cent per annum at maturity. Available in denominations of Rs. 5/- to Rs. 5,000/-. Individual holding upto Rs. 25,000/-.

10-YEAR TREASURY SAVINGS DEPOSIT CERTIFICATES

3½ per cent interest paid annually. Available in multiples of Rs. 100/- upto Rs. 25,000/-. Individual holding upto Rs. 25,000/-.

10-YEAR NATIONAL PLAN CERTIFICATES

Interest at 4½ per cent per annum at maturity. Issued in denominations of Rs. 25/-, Rs. 50/-, Rs. 100/- & Rs. 500/-. Individual holding upto Rs. 1,000/-.

POST OFFICE SAVINGS BANK ACCOUNTS

2 per cent interest added on deposits upto Rs. 10,000/- and 1½ per cent on balance upto Rs. 15,000/-.

15-YEAR ANNUITY CERTIFICATES

Issue Price: Rs. 3,500/-, Rs. 7,000/-, Rs. 14,000/- & Rs. 28,000/-. Individual holding upto Rs. 28,000/-.

Refund together with compound interest at 3½ per cent per annum in the form of monthly payments spread over a period of fifteen years.

YOU ARE ASSURED OF A HANDSOME RETURN FREE OF INCOME-TAX

For further particulars and/or rules governing these investments please write to the National Savings Commissioner Simla, or to the Regional National Savings Officer of your State.

INVEST IN INDIA'S FUTURE

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 10th December, 1955

Deaths from :—

Town	Mid-year Popn. Est (ooo)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
STATES—(Parts A and C)													
Ajmer												"N. R."	
Andhra													
Adoni	61	49	41.8	1	1	3	1	12	10.2	2
Anantpur	36	52	75.1	1	1	1	..	9	13.0	5
Anakapalli	45	30	34.7	1	2	13	15.0	3
Bhimavarapam	35	21	31.2	2	..	1	..	7	10.4	2
Chirala	42	29	35.9	6	1	2	1	15	18.6	6
Chittoor	44	41	48.3	3	1	..	4	16	18.9	6
Cuddapah	41	16	20.3	1	9	6	2	39	49.5	5
Eluru	97	27	14.5	3	9	4.8	1
Gudivada	35	30	44.6	2	..	2	..	12	17.8	2
Guntur	143	167	60.7	3	2	7	1	61	22.2	19
Guntakal	36	27	39.0	4	1	12	17.3	1
Kakinada	111	42	19.7	8	..	4	..	27	12.6	7
Kurnool†													
Masulipatnam	86	69	41.7	1	..	2	..	19	11.5	4
Nendyal	37	18	25.3	1	2	..	13	18.3	2
Nellore	92	102	57.6	2	3	4	3	56	31.6	23
Proddatur†													
Rajahmundry	119	99	43.3	..	6	..	6	..	2	..	42	18.4	6
Tenali	65	48	38.4	1	3	..	23	18.4	11
Vijayawada	194	197	52.8	..	1	2	1	..	39	10.5	14
Visakhapatnam	124	134	56.2	5	1	6	..	38	15.9	12
Vizianagaram	74	51	35.9	1	3	2	..	26	18.3	7
TOTAL	1,517	1,249	42.8		7		43	31	52	13	488	16.7	140

Aqua

“N R”

Bhopal

Bhopal City 114 132 60.2 4 .. 2 .. 11 5.0 ..

Bihar

Arrah†																
Bihar																
Betiah				67	35	27.2	3	1	7	5.4	
				38	49	67.1	4	6	8.2	..	
Bhagalpur				124	26	10.9	6	20	8.4	..
Chapra				68	32	24.5	1	3	1	19	14.5	2
Darbhanga				92	19	10.7	3	2	5	2.8	..
Dhanbad				40	11	14.3	3	3.9	..
Dinapur				44	7	8.3	3	3	3.6	..
Gaya				146	56	20.0	18	..	20	..	67	23.9	..
Hazaribagh				38	13	17.8	3	4.1	2
Jamalpur				46	14	15.8	1	3	3.4	..
Jamshedpur				241	148	31.9	1	1	1	..	10	2.2	4
Katihar				49	1	1
Monghyr†																
Muzaffarpur				82	22	14.0	4	7	4.4	..
Patna				321	286	46.3	..	5	..	3	41	6.6	..
Purulia				46	9	10.2	1	2	2.3	..
Ranchi				126	31	12.8	3	1	10	4.1	2
	TOTAL			1,568	759	25.2	1	5	..	53	6	21	..	206	6.8	12

¹ In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fevers; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); . . . = Nil information. "N.R." = Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 10th December, 1955—*contd.*

Deaths from—

Town	Mtd.-year Popn.-Est. (ooo)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.**	I.D.
Bombay													
Ahmedabad	870	751	44.9	..	2	—	8	10	61	..	243	14.5	73
Ahmednagar	87	79	47.2	—	3	2	2	1	23	13.7	8
Amalner	49	30	31.8	—	5	1	3	..	16	16.9	7
Bagalkot	36	24	34.6	1	3	..	6	8.6	..
Baroda	237	227	49.8	13	3	16	2	71	15.5	20
Barsi	45	45	52.0	5	..	2	1	17	19.6	2
Belgaum	109	32	15.2	1	3	5	..	18	3.6
Bhuseawal	61	39	33.2	4	..	1	..	9	7.7
Bijapur	73	18	12.8	2	..	3	1	11	7.8
Broach	66	66	52.0	6	..	3	..	18	14.1
Cambay	41	38	48.2	1	9	11.4
Chalisgaon	34	24	36.7	6	..	2	1	13	19.9
Dharwar	75	30	21.3	1	..	14	9.9
Dhulia	87	47	28.1	7	..	4	1	27	16.1
Gadag-Betageri	70	43	31.9	4	..	1	..	16	11.8
Godra	40	39	50.7	6	9	11.7
Greater Bombay	3,335	2,231	34.8	1	27	114	..	645	10.1
Hubli	144	52	18.7	—	5	2	..	18	6.5
Jalgaon	77	28	18.9	3	..	2	..	11	7.4
Kalyan	70	30	22.3	3	1	4	..	14	10.4
Kolhapur	155	98	32.8	8	1	4	..	47	15.7
Malegaon†	44	33	39.0	2	1	..	11	13.0
Miraj	70	51	37.7	6	..	1	..	18	13.3
Nadiad	4
Nandurbar	34	15	22.9	1	..	10	15.3
Nasik	115	59	26.7	7	3	5	1	51	23.1
Navsari	49	36	38.2	8	11	11.7
Pandharpur	44	44	52.0	3	4	7	..	20	30.7
Patan	46	57	64.4	3	1	4	..	16	18.1
Poona	584	330	29.4	1	10	34	4	146	13.0
Sangli	57	27	24.6	3	..	12	10.9
Satara	40	38	49.4	5	..	1	..	15	19.5
Sholapur	293	284	50.4	21	9	34	1	138	24.2
Surat	245	222	47.1	..	5	6	1	10	1	92	19.5
Thana	24
TOTAL	7,382	5,167	36.4	..	7	145	80	333	17	1,701	12.0
Delhi State													
Delhi City	1,085	885	42.4	—	..	37	4	48	2	160	7.7
New Delhi	355	434	63.5	5	5	5	..	102	14.9
N.A.C. Civil Station, Delhi	111	119	55.7	5	1	5	..	25	11.7
Delhi Cantt.	49	24	25.5	3	3.1
Delhi-Shahdara	51	49	50.0	1	..	2	..	3	3.1
TOTAL	1,651	1,511	47.6	—	48	10	60	2	293	9.2
Madhya Pradesh													
Madras													
Ambur	44	27	31.9	3	9	3	1	9	10.6
Aruppukottai	54	54	52.0	2	..	1	..	27	26.0
Bedinayakanur	39	20	26.7	6	8.0
Cannanore	46	26	29.4	2	2.3
Chidambaram	38	19	26.0	1	8	11	..	7	9.6
Coimbatore	227	243	55.7	51	11.7
Cuddalore	73	71	50.6	2	1	1	..	21	15.0
Dindigul	88	71	42.0	3	3	1	..	19	11.2
Erode	65	51	40.8	1	2	10	8.0

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; .. = Nil Information ; "N. R." = Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 10th December, 1955—contd.

Town	Mid-year Popn.-Est. (000)	Deaths from :—												
		B.	B.R.*	C.	S.	P.	F.	D. D.	R. D.	M. D.	Total	D.R.*	I.D.	
Madras—contd.														
Gobichetty †														
Palayam †														
Guddiyattam	51	24	24.5	1	2	5	..	13	13.3	6	
Kancheepuram	89	74	43.2	2	1	24	..	49	28.6	12	
Karaikudi	43	39	47.2	2	2	12	14.5	4	
Karur	48	30	32.5	1	1	1	..	5	5.4	1	
Kozhikode *	173	109	32.8	6	..	4	..	60	18.0	14	
Kumbakonam	102	104	53.0	1	1	4	3	30	15.3	9	
Madras	1,649	1,408	44.4	62	109	135	1	626	19.7	181	
Mangalore	133	86	33.6	4	..	24	9.4	3	
Mathurai	415	335	42.0	7	13	46	4	182	22.8	54	
Mayuram	48	43	46.6	1	1	..	15	16.2	4	
Nolapalayam	40	12	15.6	1	1	3	..	12	15.6	6	
Nagapattinam	60	49	42.5	2	1	1	10	8.7	..	
Ottacamund	46	30	33.9	1	3	..	9	10.2	1	
Palani	39	32	42.7	4	..	11	14.7	4	
Palayamkottai	44	58	68.5	4	1	2	..	24	28.4	9	
Palghat	76	64	43.8	1	..	5	..	24	16.4	2	
Periyakulam	33	46	72.5	2	..	1	8	12.6	3	
Pollachi	49	33	35.0	4	2	..	20	21.2	6	
Pudukkottai	49	40	42.4	2	2	..	14	14.9	1	
Rajapalayam	67	80	62.1	1	6	3	..	33	25.6	6	
Salem	234	140	31.1	3	5	11	..	53	11.8	3	
Srirangam	41	34	43.1	1	1	..	9	11.4	1	
Srivilliputtur	43	30	36.3	1	..	2	..	15	18.1	7	
Tanjore	115	112	50.6	1	1	10	..	63	28.5	15	
Tellicherry	42	45	55.7	1	2	..	13	16.1	2	
Tiruchirapalli	245	183	38.8	1	7	20	1	82	17.4	18	
Tirunelveli	79	58	38.2	4	8	..	23	15.1	7	
Tiruppur	61	58	49.4	1	1	2	..	17	14.5	7	
Tiruvannamalai	44	57	67.4	1	2	3	3	25	29.5	9	
Tuticorin	109	96	45.8	5	8	1	37	17.7	16	
Vaniyambadi	42	32	39.6	1	..	1	..	8	9.9	2	
Vellore	121	109	46.8	2	3	12	..	45	19.3	11	
Villupuram	39	36	48.0	1	1	2	..	8	10.7	1	
Virudhunagar	51	63	64.2	2	4	1	..	20	20.4	4	
TOTAL	5,194	4,331	43.4	114	205	357	16	1,751	17.5	476	
Orissa														
Berhampur	70	80	59.4	4	5	3	1	21	15.6	10	
Cuttack	114	148	67.5	6	2	8	..	41	18.7	5	
Puri	53	29	28.5	10	1	2	..	28	27.5	4	
TOTAL	237	257	56.4	..	—	..	20	8	13	1	90	19.7	19	
Punjab (I)														
Ambala	64	50	40.7	3	2	4	..	14	11.4	9	
Amritsar.	335	354	54.9	6	6	35	1	104	16.2	36	
Batala	61	47	40.2	3	—	5	4.3	..	
Bhiwani	56	58	53.9	..	2	..	7	1	3	..	18	16.8	10	
Ferozepore	43	29	35.2	1	1	4	..	13	15.8	4	
Hissar	38	50	68.4	1	1	5	1	13	17.8	6	
Hoshiarpur	50	43	44.7	1	5	..	11	11.5	2	
Jullundur	194	169	45.4	3	9	26	7.0	5	
Karnal	69	58	45.7	6	1	1	..	16	12.1	..	

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :— B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fevers; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil Information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 10th December, 1955—*contd.*

Deaths from:—

Town	Mid-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
------	---------------------------------	----	-------	----	----	----	----	------	------	------	-------	-------	------

Punjab (1)—*contd.*

Ludhiana	172	160	48.4	7	..	6	..	27	8.2	9
Moga	40	36	46.9	2	..	3	..	10	13.0	3
Panipat	62	52	43.6	5	1	1	..	9	7.6	2
Pathankot	33	35	55.3	1	2	..	4	6.3	..
Rewari	36	32	46.2	4	2	2	..	10	14.5	2
Rohat	102	102	52.0	6	..	2	..	18	9.2	7
Simla	49	26	27.7
Sonipat	33	24	37.9	2	..	1	..	3	4.7	2
TOTAL	1,437	1,325	48.0	—	2	—	50	20	83	2	302	10.9	97

Uttar Pradesh

Agra	367	542	76.8	6	66	..	121	17.1	46
Allahabad	342	245	37.3	3	2	26	..	66	10.1	20
Almroha	60	86	74.7	2	3	15	..	38	330	15
Bahraich	46	25	28.3	2	1	2	..	11	12.5	2
Varanasi	375	333	46.2	42	8	20	..	154	21.4	38
Banda	32	57	92.2	..	1	..	5	1	4	..	14	22.8	2
Bareilly	201	94	24.3	5	1	15	2	26	6.7	3
Bijnor	†												
Budaud	54	46	44.4	~	4	12	11.6	5
Basti	†												
Bulandshahr	†												
Chandausi	40	52	67.8	3	..	1	..	13	16.9	5
Dehra Dun	141	60	22.2	5	..	5	..	16	5.9	4
Etawah	63	68	56.3	5	4	3	..	22	18.2	9
Faizabad-Ayodhya	†												
Farrukhabad-Fatehgarh	81	65	41.8	6	2	11	..	28	18.0	7
Ferozabad	76	48	32.9	1	..	2	..	3	2.0	1
Ghazibabad	45	90	104.0	5	6	6.9	..
Ghazipur	36	25	36.2	7	..	1	..	15	21.7	1
Gorakhpur	137	79	30.1	8	1	4	..	22	8.4	5
Konda	34	17	26.1	1	..	1	1.5	..
Hapur	†												
Hardwar	63	29	24.0	6	3	2	..	17	14.1	3
Hathras	61	49	41.9	10	3	8	1	25	21.4	8
Jaunpur	56	45	41.9	4	..	4	..	12	11.2	1
Jhansi	115	102	46.1	19	2	7	..	39	17.7	4
Kanpur	716	570	40.1	121	23	53	5	314	22.1	85
Kasganj	34	13	19.9	1	..	1	..	2	3.1	..
Khurja	40	33	43.0	3	..	8	..	11	14.3	2
Koti-Aligarh	148	62	21.8	9	4	5	..	29	10.2	10
Lucknow	485	358	38.5	19	7	21	1	96	10.3	29
Mathura	108	106	51.2	12	1	5	..	34	16.4	12
Mau-Nath-Bhanjan	†												
Meerut	181	180	51.7	6	1	6	..	21	6.0	4
Mirzapur-Vindhya	95	79	43.4	7	2	5	..	18	9.9	4
Moradabad	163	150	47.5	2	1	21	..	40	12.8	17
Muzaffarnagar	72	44	39.1	6	1	3	..	18	13.0	4
Pilibhit	45	39	45.2	5	..	2	..	11	12.7	5
Rampur	154	7	2.4	2	3	1.0	1
Saharanpur	158	149	49.2	36	1	2	..	45	14.8	22
Sambhal	64	60	48.9	6	3	10	..	23	18.7	10
Shahjahanpur	†												
Sitapur	48	17	18.5	2	1	2	..	7	7.6	5
TOTAL	4,936	4,024	42.4	..	1	..	379	81	341	12	1,333	14.8	385

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile death included in total deaths); ..—Nil information. "N. R."—Information not received

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 10th December, 1955—*contd.*

Deaths from :—

Town	Mid-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.	
West Bengal														
“N.R.”														
STATES—(Part B)														
“N.R.”														
Greater Gwalior	267	36	7.0	4	9	13.7	1	
Indor	357	248	36.1	25	3	5	3	90	13.1	39	
Ujjain	151	49	16.9	6	1	..	2	34	11.7	..	
Ratlam	71	28	20.5	1	1	7	5.1	..	
Mandsaur†														
	TOTAL	846	361	22.2	36	5	5	5	140	8.6	40
Mysore														
Bangalore	936	429	23.8	9	40	74	..	234	13.0	..	
Mysore	285	147	26.8	21	8	8	..	67	12.2	..	
Kolar Gold Fields	170	154	47.1	3	..	7	..	36	11.0	..	
Davangere	67	29	22.5	2	1.6	..	
	TOTAL	1,458	759	27.1	33	48	89	..	339	12.1	..
PEPSU														
Amritsar City	108	111	53.4	10	..	10	..	32	15.4	12	
Malerkotla	34	42	64.2	6	10	15.3	2	
Bhatinda	38	40	54.7	1	1	1.4	1	
	TOTAL	180	193	55.8	17	..	10	..	43	12.4	15
Rajasthan														
Alwar	60	54	46.8	1	1	..	7	6.1	3	
Bharatpur†														
Bikaner†														
Churu	46	8	9.0	1	..	3	3.4	..	
Ganganagar	45	9	10.4	
Tonk†														
Kotah	71	11	8.1	3	1	8	6.0	1	
Sikar†														
Jalpur†														
	TOTAL	222	82	19.2	—	3	2	2	..	18	4.2	4
Travancore-Cochin														
Alleppey	142	26	9.5	13	4.8	2	
Changanacherry†														
Ernakulam	69	20	15.1	3	11	8.3	2	
Kottayam†														
Mattancherry	83	58	36.3	1	1	10	6.3	..	
Nagercoil	91	49	28.0	3	3	19	10.9	4	
Quilon	73	79	56.3	1	11	7.8	2	
Trichur†														
Trivandrum City	213	135	33.0	8	3	1	..	43	10.5	5	
	TOTAL	671	367	28.4	15	8	1	..	107	8.3	15
Saurashtra														
Bhavnagar	153	66	22.4	6	4	7	..	35	11.9	9	
Dhorsai	46	26	29.4	3	..	3	..	11	12.4	..	
Gondal	40	28	36.4	3	2	2	..	10	13.3	3	
Jamnagar	119	25	11.3	7	2	2	..	14	6.1	5	
Junagadh	65	42	33.6	10	..	1	..	21	26.8	6	
Morvi	42	24	29.7	4	..	1	..	6	7.4	1	
Porbandar	63	23	19.0	8	1	16	13.2	5	
Rajkot	161	140	45.2	11	1	7	..	51	42.1	16	
Surendranagar	41	21	26.6	1	..	1	1.3	..	
Veraval	45	26	30.0	2	..	2	2.3	..	
	TOTAL	775	421	28.2	49	10	26	..	167	11.2	55

*In case of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not Available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fevers ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; —Nil Information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 10th December, 1955—contd.

Towns	Mid-year Popn.-Est (000)	B.	B.R.*	Deaths from :—								Total	D.R.*	I.D.	
				C.	S.	P.	F.	D.D.	R.D.	M.D.					
Hyderabad															
Aurangabad†															
Bidar†															
Gulberga†															
Hyderabad City	1,021	556	28.3	26	2	9	..	101	5.1	12		
Jalna†	67	22	17.1	3	7	5.4	..		
Kothagudiam															
Latur	40	2	2.6	1	..	1	..	2	2.6	..		
Nanded†															
Nizambad†															
Parbhani	39	9	12.0	3	1	5	..	9	12.0	..		
Raichur†															
Secunderabad City	162	146	46.9	2	5	9	..	33	10.6	12		
Warangal	151	39	13.4	8	1	3	..	12	4.1			
TOTAL	1,480	774	27.2	43	9	27	..	164	5.8	24		

ARREAR RETURNS

w/e 17-9-1955

Hyderabad															
Aurangabad†															
Bidar†															
Gulberga†															
Hyderabad City	1,021	489	24.9	27	6	19	..	117	6.0	18		
Jalna†	67	32	24.8	1	1	2	1.6	..		
Kothagudiam															
Latur†	77	37	25.0	8	..	3	3	18	12.2	4		
Nanded†															
Nizambad	65	11	8.8	1	..	1	..	3	2.4	1		
Parbhani†															
Raichur†															
Secunderabad City	162	148	47.5	7	3	6	1	47	15.1	13		
Warangal†															
TOTAL	1,479	717	25.2	44	10	29	4	187	6.6	35		

w/e 24-9-1955

Hyderabad															
Aurangabad†															
Bidar†															
Gulberga	87	8	4.8	5	3	11	..	19	11.4	..		
Hyderabad City	1,021	507	25.8	20	8	20	..	115	5.9	15		
Jalna†	67	31	24.1	3	2.3	..		
Kothagudiam															
Latur	77	39	26.3	7	1	2	..	10	6.8	3		
Nanded															
Nizambad	65	13	10.4	1	1	1	3	2.4	1		
Parbhani†															
Raichur†															
Secunderabad City	162	147	47.2	1	1	12	..	45	14.4	..		
Warangal	151	96	33.1	20	2	5	..	36	12.4	..		
TOTAL	1,630	831	26.5	53	15	51	..	231	7.4	28		

w/e 1-10-1955

Hyderabad															
Aurangabad†															
Bidar†															
Gulberga	87	5	3.0	6	1	3	..	10	6.0	..		
Hyderabad City	1,021	627	31.9	16	16	8	..	166	8.5	26		
Jalna†	67	34	26.4	6	..	1	..	7	5.4	..		
Kothagudiam															
Latur†	77	35	23.6	7	11	7.4	1		
Nanded†															
Nizambad	65	10	8.0	2	1.6	1		
Parbhani	39	62	83.7	5	1	2	..	6	8.0	..		
Raichur†															
Secunderabad City	162	147	47.2	1	1	12	..	45	14.4	9		
Warangal	151	56	19.3	12	4	18	6.2	..		
TOTAL	1,669	976	30.4	53	23	25	3	255	7.9	37		

*In cases of towns where there has been an abnormal movement of population, it is likely that the Population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Birth ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fevers D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil Information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 10th December, 1955—*contd.*

Deaths from :—

Town	Mid-year Popn.-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	D.R.	M.D.	Total	D.R.*	I.D.
------	---------------------------------	----	-------	----	----	----	----	------	------	------	-------	-------	------

Hyderabad

w/e 8-10-1955

Aurangabad†													
Bidar†													
Gulberga	.	.	87	8	4.8	5	2	2	..	9
Hyderabad City	.	.	1,021	311	15.8	29	4	21	..	152
Jalna†													7.7
Kothagudiam	.	.	67	33	25.6	2	4
Latur†													3.1
Nanded	.	.	77	30	20.3	9	..	3	..	18
Nizambad	.	.	65	7	5.6	2	..	1	..	12.2
Parbhani†													0.8
Raichur†													..
Secunderabad City	.	.	162	172	55.2	1	2	8	..	46
Warangal†													14
Total			1,479	561	19.7	48	8	35	3	230
													8.1
													40

Hyderabad

w/e 15-10-1955

Aurangabad†													
Bidar†													
Gulberga	.	.	87	17	10.2	8	4	6	..	18
Hyderabad City	.	.	1,021	407	20.7	28	1	8	2	108
Jalna†													5.5
Kothagudiam	.	.	67	34	26.4	3	6
Latur†													4.7
Nanded	.	.	77	35	23.6	8	..	2	1	18
Nizambad	.	.	65	12	9.6	1	..	1	..	5
Parbhani†													12.2
Raichur†													4.0
Secunderabad City	.	.	162	140	44.9	4	3	6	..	44
Warangal†													14.1
TOTAL			1,479	645	22.7	52	8	23	3	199
													7.0
													31

Hyderabad

w/e 22-10-1955

Aurangabad†													
Bidar†													
Gulberga	.	.	87	7	4.2	5	..	2	1	8
Hyderabad City	.	.	1,021	613	31.2	27	7	15	..	103
Jalna†													5.2
Kothagudiam	.	.	67	29	22.5	3	6
Latur†													4.7
Nanded	.	.	77	34	23.0	4	1	2	..	10
Nizambad	.	.	65	8	6.4	1	..	2	..	4
Parbhani†													6.8
Raichur†													3.1
Secunderabad City	.	.	162	120	38.5	1	3	13	..	37
Warangal†													11.9
TOTAL			1,479	811	28.5	41	11	34	1	168
													5.9
													25

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fevers; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Death (included in total deaths); ..—Nil Information; "N.R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and ~~in~~ in India for week ending the 10th December, 1955—*concl.*

Town	Mid-year Popn.-Est. (000)	Deaths from :—												
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.**	I.D.	
Hyderabad												<i>w/e 29-10-1955</i>		
Aurangabad†														
Bidar†														
Gulberga†														
Hyderabad City	1,021	377	19.2	27	6	8	..	103	5.2	11	
Jalna†	67	13	10.1	3	3	2.3	..	
Kothagudiam														
Latur†														
Nanded	77	30	20.3	..	—	—	6	2	6	2	22	14.9	6	
Nizambad	65	15	12.0	5	..	3	..	10	8.0	2	
Parbhani														
Raichur†														
Secunderabad City	39	24	32.0				3	..	1	1	6	8.0	..	
Warangal†														
TOTAL	1,431	614	22.3	44	10	25	3	165	6.0	29	
Hyderabad												<i>w/e 5-II-1955</i>		
Aurangabad†														
Bidar†														
Gulberga	87	13	7.8	3	..	7	..	10	6.0	..	
Hyderabad City	1,021	256	13.0	23	7	10	..	109	5.6	19	
Jalna†														
Kothagudiam	67	26	20.2	2	2	8	6.2	..	
Latur†														
Nanded	77	35	23.6	10	1	1	..	15	10.1	3	
Nizambad	65	13	10.4	3	2	3	..	9	7.2	1	
Parbhani†														
Raichur†														
Secunderabad City	162	156	50.1	1	2	6	..	39	12.5	17	
Warangal†														
TOTAL	1,479	499	17.5	42	14	27	..	190	6.7	40	
Madhya Bharat												<i>w/e 26-II-1955</i>		
Greater Gwalior	267	37	7.2	7	..	3	..	20	3.9	1	
Indore	357	266	38.7	15	5	26	3	95	13.8	33	
Ujjain	151	75	25.8	15	2	49	16.9	3	
Ratlam	71	20	14.6	2	..	1	..	8	5.9	..	
Mandsaur		40	1	1	1.3	..	
TOTAL	886	398	23.4	40	7	30	3	173	10.2	37	
Madhya Bharat												<i>w/e 3rd December 1955</i>		
Greater Gwalior	267	36	7.0	6	..	1	..	17	3.3	1	
Indore	357	205	29.9	35	1	10	2	100	14.6	38	
Ujjain	151	55	18.9	7	1	34	11.7	..	
Ratlam	71	24	17.6	4	2.9	..	
Mandsaur		40	8	10.4	3	3	3.9	..	
TOTAL	886	328	19.3	51	2	11	2	158	9.3	39	
Bhopal												<i>w/e 3rd December 1955</i>		
Bhopal City		114	132	60.2	5	2	7	..	16	7.3	..
Orissa												<i>w/e 3rd December 1955</i>		
Puri	53	109	106.9	12	2	1	1	27	26.5	4	
Travancore-Cochin												<i>w/e 26th November 1955</i>		
Changanacherry	40	22	28.6	4	5.2	..	
Madhya Pradesh												<i>w/e 29th October 1955</i>		
Hinganghat	35	49	72.5	9	1	24	35.7	6	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea;

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 10th December, 1955—*contd.*

Deaths from :—

Town	Mid-year popn-Est (ooo)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.	
Madhya Pradesh—<i>contd.</i>														
Wardha	45	49	56.6	1	3	1	..	12	13.9	1	
Jabalpur	231	117	26.3	..	1	..	15	1	5	..	38	8.6	..	
Murwara	38	7	9.5	1	..	1	..	2	2.7	..	
<i>For w/e 5th November 1955</i>														
Wardha	45	28	32.4	2	2	..	6	6.9	1	
Jabalpur	231	150	33.8	19	2	10	..	55	12.4	..	
Murwara	38	11	15.1	2	4	5.5	..	
<i>For w/e 12th November 1955</i>														
Wardha	45	37	42.8	1	6	6.9	1	
Jabalpur	134	134	30.2	..	1	..	20	..	8	..	45	10.1	..	
Murwara	38	5	6.8	2	2.7	..	
Amravati	98	47	25.0	5	2	7	3	45	23.9	11	
<i>For w/e 19th November 1955</i>														
Wardha	45	31	35.8	2	1	17	..	4	4.6	..	
Jabalpur	231	162	36.5	19	3	58	13.1	..	
Murwara	38	5	6.8	1	2	2.7	..	
Jammu & Kashmir														
Jammu Srinagar	68	56	42.8	..	22	..	4	1	5	1	12	9.1	..	
	240	87	18.8	6	..	10	..	52	11.2	8	
<i>For w/e 8th January 1955</i>														
Jammu Srinagar	68	39	29.8	..	1	..	2	..	6	..	18	13.7	2	
	240	104	22.5	..	12	..	2	..	11	..	38	8.2	6	
<i>For w/e 15th January 1955</i>														
Jammu Srinagar	68	54	41.2	..	1	..	3	..	4	..	11	8.4	1	
	240	127	27.5	..	15	..	II	..	10	..	54	11.7	9	
<i>For w/e 22nd January 1955</i>														
Jammu Srinagar	68	54	41.2	..	1	..	3	..	4	..	11	8.4	1	
	240	128	27.7	..	18	..	2	..	14	..	48	9.9	10	
<i>For w/e 29th January 1955</i>														
Jammu Srinagar	68	47	35.9	..	15	..	4	..	4	..	14	10.7	..	
	240	141	30.9	3	..	13	..	54	11.7	14	
<i>For w/e 5th February 1955</i>														
Jammu Srinagar	68	48	36.7	4	..	2	..	14	10.7	..	
	240	171	37.5	..	17	..	3	..	9	..	47	10.1	5	
<i>For w/e 12th February 1955</i>														
Jammu Srinagar	68	52	39.7	3	..	2	1	2	..	9	6.8	
	240	167	36.1	7	..	16	..	41	8.8	9	
<i>For w/e 19th February 1955</i>														
Jammu Srinagar	68	52	39.7	3	..	2	1	2	..	9	6.8	
	240	167	36.1	7	..	16	..	41	8.8	9	
<i>For w/e 26th February 1955</i>														
Jammu Srinagar	68	53	40.5	2	..	5	..	10	..	10	7.7	
	240	140	30.3	2	..	13	..	30	6.5	3	
<i>For w/e 5th March 1955</i>														
Jammu Srinagar	68	31	23.1	4	..	3	1	..	7	5.3	..	
	240	146	31.6	4	..	3	1	..	40	8.6	9	
<i>For w/e 12th March 1955</i>														
Jammu Srinagar	68	43	32.8	1	..	1	1	2	..	8	6.1	
	240	148	32.1	1	..	3	..	5	..	24	5.2	3
<i>For w/e 19th March 1955</i>														
Jammu Srinagar	68	42	32.1	2	3	..	3	2.2	..	
	240	169	36.6	3	..	10	..	33	7.1	4
<i>For w/e 26th March 1955</i>														
Jammu Srinagar	68	41	31.3	1	3	1	2	..	8	
	240	94	20.3	1	3	..	6	..	18	

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 10th December, 1955—*contd.*

Town	Mid-year Popn.—Est (000)	Deaths from :—											Total	D.R.	I.D.
		B.	B.R.	C.	S.	P.	F.	D.D.	R.D.	M.D.					
<i>For w/e 2nd April 1955</i>															
Jammu & Kashmir— <i>contd.</i>															
Jammu Srinagar	68 240	45 106	34·4 22·9	4 2	1 ..	1 6	..	12 16	9·1 3·4	.. 3		
<i>For w/e 9th April 1955</i>															
Jammu Srinagar	68 240	38 127	28·9 27·5	3 2 5	..	6 17	4·5 3·6	.. 2		
<i>For w/e 16th April 1955</i>															
Jammu Srinagar	68 240	58 126	44·3 27·3	1 1	2 1	2 4	..	13 22	9·9 4·7	.. 3		
<i>For w/e 23rd April 1955</i>															
Jammu Srinagar	68 240	48 152	36·7 32·9	4 ..	4 1	2 8	..	15 20	11·4 4·3	.. 3		
<i>For w/e 30th April 1955</i>															
Jammu Srinagar	68 240	39 184	29·8 39·8	3 6	1 5	..	9 26	6·8 5·6			
<i>For w/e 7th May 1955</i>															
Jammu Srinagar	68 240	35 131	27·1 28·3	7 7	1 ..	3 7	..	19 28	14·7 6·1	.. 3		
<i>For w/e 14th May 1955</i>															
Jammu Srinagar	68 240	44 133	34·1 28·8	6 4	1 ..	3 7	..	22 19	17·7 4·1	.. 2		
<i>For w/e 21st May 1955</i>															
Jammu Srinagar	68 240	36 140	27·9 30·3	2 ..	1 4	.. 4	..	10 23	7·7 4·9	.. 6		
<i>For w/e 28th May 1955</i>															
Jammu Srinagar	68 240	40 135	30·5 29·2	2 1	1 1	1 3	..	6 18	4·5 3·9	.. 3		
<i>For w/e 4th June 1955</i>															
Jammu Srinagar	68 240	36 155	27·5 33·5	7 5	..	3 9	..	15 23	11·4 4·9	.. 3		
<i>For w/e 11th June 1955</i>															
Jammu Srinagar	68 240	41 145	31·3 31·4	8 4	..	3 5	..	15 19	11·4 4·1	.. 2		
<i>For w/e 18th June 1955</i>															
Jammu Srinagar	68 240	40 129	30·5 27·9	5 2	1 2	.. 1	9 15	6·8 3·2		
<i>For w/e 25th June 1955</i>															
Jammu Srinagar	68 240	49 151	37·4 32·7	4 1	3 ..	2 4	..	16 14	12·2 3·0	.. 3		
<i>For w/e 2nd July 1955</i>															
Jammu Srinagar	68 240	34 142	26·0 30·7	2 3	..	1 4	..	9 26	6·8 5·6	.. 2		
<i>For w/e 9th July 1955</i>															
Jammu Srinagar	68 240	27 101	20·6 21·8	5 2	1 ..	2 6	..	11 19	8·4 4·1	.. 1		
<i>For w/e 16th July 1955</i>															
Jammu Srinagar	68 240	41 125	31·3 27·7	6 4	..	3 6	..	13 28	9·9 6·1	.. 2		
<i>For w/e 23rd July 1955</i>															
Jammu Srinagar	68 240	57 128	43·5 27·7	1 9	..	2 11	..	9 36	6·8 7·8	.. 1		

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols, used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fevers; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..=Nil Information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 10th December, 1955—concl.

Town	Mid-year Popn -Est. (000)	Deaths from :—												
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.	
Jammu & Kashmir—contd.												<i>w/e 30th July 1955</i>		
Jammu Srinagar	68 240	52 97	39.7 21.0	3	1	..	3	..	7	5.3 3.4	1 2
<i>w/e 6th August 1955</i>												8	6.1 3.4	1 1
Jammu Srinagar	68 240	55 117	42.5 25.3	4	2	1	16	6.1 3.4	1 1
<i>w/e 13th August 1955</i>												10	7.6 5.4	1 5
Jammu Srinagar	68 240	65 131	49.5 28.3	2	2	..	10	..	25	7.6 5.4	1 5
<i>w/e 20th August 1955</i>												15	11.4 3.4	2 1
Jammu Srinagar	68 240	59 129	45.1 27.9	5	5	..	16	11.4 3.4	2 1
<i>w/e 27th August 1955</i>												13	9.9 4.5	1 3
Jammu Srinagar	68 240	57 150	43.5 23.5	1	8	5	..	21	9.9 4.5	1 3
<i>w/e 3rd September 1955</i>												9	6.8	2
Jammu	68	85	65.0	4	..	1	9	6.8	2
<i>w/e 10th September 1955</i>												8	6.1	1
Jammu	68	75	57.3	3	2	1	1	..	16	12.2	..
<i>w/e 17th September 1955</i>												11	8.4	1
Jammu	68	82	62.7	8	16	12.2	..
<i>w/e 24th September 1955</i>												11	8.4	1
Jammu	68	59	45.1	5	1	2	14	10.7	2
<i>w/e 1st October 1955</i>												14	10.7	2
Jammu	68	60	45.8	5	3	3	14	10.7	2
<i>w/e 8th October 1955</i>												14	10.7	2
Jammu	68	81	61.9	5	9	6.8	..
<i>w/e 15th October 1955</i>												12	9.1	3
Jammu	68	53	40.5	6	12	9.1	3
<i>w/e 22nd October 1955</i>												17	13.0	2
Jammu	68	67	51.2	7	..	4	17	13.0	2
<i>w/e 29th October 1955</i>												13	11.7	..
Jammu	68	77	58.8	6	..	2	1	..	12	9.1	3
Madhya Pradesh												11	8.4	1
<i>w/e 3-12-1955</i>												11	8.4	1
Achalpur†	101	63	32.4	7	1	4	..	22	11.3	4	
Akola	98	102	54.1	8	1	7	2	51	27.1	13	
Amravati														
Bilaspur	40	37	48.1	4	..	3	1	21	27.3	8	
Burhanpur	77	43	29.0	8	..	1	..	15	10.1	..	
Chanda	43	39	47.2	5	..	1	1	10	12.1	1	
Chhindwara														
Damoh†	30	20	34.7	1	3	12	20.8	7	
Gondia	44	57	67.4	2	3	..	9.5	2	
Hinganghat†														
Jabalpur†	58	23	20.6	5	..	3	..	13	11.7	..	
Khandwa														
Khamgaon†	35	24	35.7	4	13	19.3	..	
Kanpur														
Murwati														
Nagpur	513	271	27.5	28	..	11	..	72	7.3	..	
Sagar	73	21	14.9	4	1	9	6.4	..	
Raipur†														
Raigarh†	45	34	39.3	2	10	11.6	1	
Wardha	40	28	36.4	3	..	1	2	17	22.1	6	
Yeotmal														
TOTAL	1197	762	33.1	81	6	31	9	273	11.9	42	

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fevers ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total).

REMARKS

The figures of births and deaths shown in this statement for week ending the 10th December 1955 relate to 213 towns with an estimated population of 29,668 thousands. The total number of towns is 313 and their population is 40,934 thousands. Thus 68% of the total number of towns representing 72% of the total population is covered in this statement. The number of births and deaths recorded in these towns were 21,712 and 7,153 representing birth and death rates of 38.1 and 12.5 per thousand of population respectively.

(a) *States (Part A and C).*—The data here relate to 176 towns with an estimated population of 24,036 thousands. Information about Ajmer, Madhya Pradesh and West Bengal could not be included. The total number of towns is 252 and their population is 32,572 thousands. Thus 70% of the total number of towns representing 74% of the total population is covered. The

number of births and deaths recorded in these towns were 18,755 and 6,175 representing birth rates and death rates of 40.6 and 13.4 per thousand of population respectively. The table at the end gives the position by States.

No town recorded a high death rate of 50 or over per thousand of population.

(b) *States (Part B).*—The data here relate to 37 towns with an estimated population of 5,632 thousands. The total number of towns is 61 and their population is 8,362 thousands. Thus 61% of the total number of towns representing 67% of the total population is covered. The number of births and deaths recorded in these towns were 2,957 and 978 representing birth and death rates of 27.3 and 9.0 per thousand of population respectively.

No town recorded a high death rate of 50 or over per thousand of population.

States	Current w/e 10-12-1955		Corresponding w/e last year		Corresponding mean during the previous 5-year period	
	B. R.	D. R.	B. R.	D. R.	B. R.	D. R.
Andhra	42.8	16.7	35.3	15.5	†	†
Bihar	25.2	6.8	18.7	6.8	15.3	6.9
Bombay	36.4	12.0	32.6	17.7	35.9	16.4
Delhi	47.6	9.2	34.5	7.0	45.9	10.0
Madras	43.4	17.5	39.3	18.3	†	†
Orissa	56.4	19.7	47.1	22.4	47.5	22.2
Punjab (I)	48.0	10.9	42.6	9.0	40.1	12.0
Uttar Pradesh	42.4	14.8	35.0	14.0	38.2	17.5
*India	40.6	13.4	35.5	13.7	38.2	17.7

*7 Part 'A' States and 1 Part 'C' State.

†Figures not available

NEW DELHI-2 (INDIA);
The 2nd January, 1956. }

K. MITRA,
for Registrar General, India.